<u>Agenda</u>

City Council

Extended Study Session

MONDAY June 14, 2010

6:00 - 10:00 p.mCouncil Conference Room (1E-113)

<u>Page</u>

- 1. **Executive Session**
- 2. Communications: Written and Oral

Note: Three-minute limit per person, or five minutes if representing the official position of a recognized community organization. Maximum of three persons are permitted to speak to each side of any one topic.

- 3. **Study Session**
 - (a) Council Business and New Initiatives (no packet materials)
 - (b) Interlocal Mutual Aid Agreement opportunity with UTIL 3-1 Washington Water/Wastewater Agency Response Denny Network Vidmar

(For discussion. Seeking Council concurrence on joining Agency Response Network)

(c) Update on Electrical Vehicle Infrastructure efforts CMO 3-17 Sheida Sahandy

(For review and discussion.)

City Council meetings are wheelchair accessible. American Sign language (ASL) interpretation is available upon request. Please phone 452-6805 at least 48 hours in advance. Assisted Listening Devices are also available upon request.



(d)	Planning Commission recommendation on Electric Vehicle Infrastructure Land Use Codes	DSD Carol Helland	<u>3-19</u>
	(For review and discussion. Council action is tentatively scheduled for June 21)		
(e)	Planning Commission recommendation on Federal Emergency Management Agency Consistency Land Use Code Amendments	DSD Carol Helland	3-29
	(For review and discussion. Council action is scheduled for 06/21/10.)		
(f)	Additional discussion on updating Building and Fire Codes	DSD/FIRE Mike Brennan Gregg Schrader/ Ken Carlson	<u>3-57</u>
	(Previously discussed with Council on 5/17/10. Scheduled for action on 06/21/10.)		
(g)	Budget One: Process update and Response to previous questions raised by Council.	CMO/FIN Brad Miyake Jan Hawn Nav Otal	3-199

<u>Page</u>

4. Discussion of upcoming items

City Council meetings are wheelchair accessible. American Sign language (ASL) interpretation is available upon request. Please phone 452-6805 at least 48 hours in advance. Assisted Listening Devices are also available upon request.

